CUMULATIVE INDEX 1997

Volume 16

January ARTHROSCOPIC SURGERY, PART II: THE KNEE, pages 1–178 April STRESS FRACTURES, pages 179–360

July PRIMARY CARE OF THE INJURED ATHLETE, PART I, pages

October PRIMARY CARE OF THE INJURED ATHLETE, PART II, pages

Note: Page numbers of article titles are in boldface type

Abdomen, injuries of, in athlete, 744–751 wall of, injuries of, 744–745

Wall of, injuries of, 744–745 Abrasion arthroplasty, arthroscopic, 62–65 Achilles tendinitis, insertional, 458–459 Achilles tendon, acute rupture of, 459–460 Achilles tendon allograft, in reconstruction

of posterior cruciate ligament, 151–152 Acromioclavicular joint, sprain of, 685–686 Adolescent athletes, sports injuries in,

613-633

Age, and stress fractures, 205 Airsoles, in athletic shoes, 255 Alar fold, lateral, 94

Alar ligament, 92, 93

Allergic rhinitis, 650–651 Amenorrhea, athletic, 575–576, 598–600

hypothalamic hypoestrogenic, and bone health, 208–209

stress fractures and, 346, 347 Amphetamines, 376–377

Anabolic-androgenic steroids, 381–383 commonly used, 383 side effects of, 384–385

Anaphylaxis, exercise-induced, in athlete, 644-645

in athletes, 667

Anesthesia, examination of patient under, for arthroscopic reconstruction of anterior cruciate ligament, 129–130

Ankle, impingement of, anterior, 461–462 anterolateral, 462–463

injury(ies) of, acute, in pediatric and adolescent athletes, 627–630 and foot injuries, primary care of,

435-466

magnetic resonance imaging in, 409-410 occult fractures about, 446-452

sprains of, as misdiagnosis, 439-452 atypical, 440-445

lateral, chronic, 437–439

diagnosis of, 438 symptoms of, 437–438 treatment of, 438–439

classification of, 437 clinical presentation of, 436

diagnosis of, 435–436 incidence of, 435

operative treatment of, 437 radiographic studies in, 436–437 medial, 440–441

Anorexia nervosa, 576, 594–595, 596–597 effects of, on bone, 213–214 Anterior cruciate ligament, injuries of, in

female athlete, 606–607 Anterior interosseous nerve syndrome, 693–694

Apophysitis, in female athlete, 606 Sever's, 618

Appendicitis, acute, in athlete, 748 Arthritis, degenerative, following meniscectomy, 70

of knee, arthroscopic debridement in, 60–61

Arthrography, computed tomography with, for diagnosis of athletic injuries, 395, 398

for evaluation of meniscal lesions, 73 plain film, for diagnosis of athletic injuries, 395–396, 399–400 Arthroplasty, abrasion, arthroscopic, 62-65 Arthroscopes, for arthroscopy of knee, 7-8,

Arthroscopic abrasion arthroplasty, 62-65 Arthroscopic debridement, 59-62 in degenerative arthritis of knee, 60-61 of knee, upper tibial osteotomy and,

65-66 Arthroscopic lavage, for osteoarthritic

knee, 57-58 Arthroscopic surgery, of knee, 1-174

Arthroscopically assisted surgical techniques, in injuries of posterior cruciate ligament, 148-153

Arthroscopy, and malalignment of knee,

diagnostic, of anterior cruciate ligament, 130-131

of knee, 40-41 in osteochondritis dissecans, 165-168

in repair of medial mensicus in athlete,

medial synovial plicae at, 105-109, 110 of knee, basics of, 1-16

in degenerative knee in older athletes, 51-68

in meniscal lesions, 74-75, 76 of patellofemoral joint, 17-28 Arthroscopy room, 4-6

Articular cartilage, lesions of, classification of, 52-53

Asthma, exercise-induced, in athlete, 642-644

in high school and college athletes, 574-575

in athlete, 642

Athlete(s), adolescent, sports injuries in, 613-633

arthroscopic repair of medial meniscus in. 69-86

college, preparticipation sports examination for, 569-591

female. See Female athlete(s).

high-performance, stress reactions of bone in, magnetic resonance imaging of, 291-306

high school, preparticipation sports examination for, 569-591

injured, emergency care of, 369-370 performance enhancement of, psy chosocial approaches to, 760-765

primary care of, 361-562, 569-768 older, degenerative knee in, arthroscopic treatment of, 51-68

pediatric, sports injuries in, 613-633 stress fractures in, 225-238

Athlete's foot, 664

Athletic injuries. See Injury(ies). Athletic trainer. See Trainer(s), athletic. Atlantoaxial joint, instability of, collision

activities and, 512, 514

rotatory fixation of, collision activities and, 513-514, 515

Atlanto-occipital fusion, contact sports and, 503, 504

Attention refocusing, 764

Axial skeleton, stress fractures of, in pediatric patients, 231-233

Back, low, pain in, in female athlete, 605-606

Bacterial infections, in athletes, 665-666 Beta-blockers, 385-386

Biofeedback, electromyography, 762-763 performance improvements and, 762

Blisters, in athletes, 666 Blood doping, 388-389

Boils, in athlete, 665-666 Bone, biology of, overview of, 199-201

effects of anorexia nervosa on, 213-214 effects of calcium on, 211

effects of disordered eating on, 213 effects of inadequate calories on, 213 effects of vitamin D on, 212-213

health of, delayed menarche and, 208 hypothalamic hypoestrogenic amenor-

rhea and, 208-209 nutritional factors and, 211-214 oral contraceptive pills and, 210 ovulatory disturbances and, 209-210 testosterone in men and, 210-211

injury to, magnetic resonance imaging in, 412-413

loss of, prevention of, 216 physiology of, 260

stress injury to. See Stress fracture(s).

Bone density, assessment of, 214-215 Bone health, pediatric, 203 Bone mass, low-peak, 203

peak, maximizing of, 215-216 Bone mineral density, gender differences

Bone-patellar tendon-bone allografts, for anterior cruciate ligament reconstruction, 125

Bone-patellar tendon-bone autografts, for anterior cruciate ligament reconstruction, 125

Bone-patellar tendon-bone reconstruction, in anterior cruciate ligament tears, 135-140

Bone scan(s), appearance of, in stress fractures versus shin splints, 349

for differential diagnosis of stress fractures, 474-475

in diagnosis of stress fractures, 349-350 radionuclide, for diagnosis of athletic injuries, 396-399

Bone spurs, of elbow, 688-689

Bone strain. See Stress fracture(s). Boutonnière deformity, 712 Boxer's fractures, 710 Bracing, in stress fractures, 351–352 Brain injury, etiology of, 532–533 types of, 533–541 Breast, injuries of, 741 Bronchospasm, in athlete, 642–644 Bulimia nervosa, 576, 594–595, 597

Caffeine, 377–378
Calcaneal apophysitis, 461
Calcaneus, anterior process of, fractures of, 447, 448
stress fractures of, 273
Calcium, effects of, on bone, 211
Calluses, in athletes, 666
Calories, inadequate, effects of, on bone, 213

requirements of, during pregnancy, 603 Cannula(ae), for anterior cruciate ligament reconstruction, 129

Capitellum, osteochondritis dissecans, 696–697, 700

Carbohydrates, for athlete, 369 Cardiovascular risk factors, in high school and college athletes, 573–574

Carnitine palmityl transferase deficiency, 432

Cataracts, in athlete, 648 Cauliflower ear, 560-561

Cerebrospinal fluid, and brain injury, 532–533

Cervical spine, athletic injury to, helmet and, 369–370

C1-C2 fusion of, collision activities and, 515 congenital conditions of, collision activi-

ties and, 503-506 developmental conditions of, collision ac-

developmental conditions of, collision activities and, 506–511 developmental stenosis of, collision activ-

ities and, 506-509 management of athletes in, 509-510,

511, 512 fusion of, status following, and contact

activities, 525–528, 529 lesions of, classification of, 502

participation in collision activities following, 501–530

middle and lower, fractures of, contact sports participation in, 517–524, 525 ligament injuries of, contact sports participation in, 516–517, 518–520

traumatic conditions of, participation in contact sports in, 516–524 structure and mechanics of, 502–503

upper, involving fracture, participation in contact sports and, 514, 515, 516 traumatic conditions of, 512–515 Cheekbone, fracture of, 556–558 Chest wall, injuries of, 740 Chondrocalcinosis, degenerative joint disease and, 56

Chondromalacia, 22–25, 56, 57 arthroscopic treatment of degenerative joint disorders and, 56, 57

Chondromalacia patellae, 623 Chorda obliqua synovialis, 92, 93

Circumduction maneuvers, in meniscal lesions, 72

Clenbuterol, 378-379

Closed-chain exercises, in rehabilitation, 372–373

Cocaine, 379-380

use by college athletes, 580–581 Cognitive restructuring, 764

Cold sores, in athletes, 651 Collateral ligament, lateral, injuries of,

diagnosis of, 491 etiology of, 490 physical examination in, 491

physical examination in, 491 medial, function of, 489

injuries of, diagnosis of, 489-490 etiology of, 489

treatment of, 490

with treatment of anterior cruciate ligament injury, 128

Collision activities, participation in, following lesions of cervical spine, 501–530

Common cold, 650

Compartment syndrome, acute, causes of, 429

diagnosis of, 429-430 treatment of, 430

chronic. See Exertional compartment syndrome.

exertional. See Exertional compartment syndrome.

Compression, in acute injuries, 371

Computed tomography, arthrographic, for diagnosis of athletic injuries, 395, 398 for diagnosis of athletic injuries, 394– 395, 396–397

in hepatic injury, 746, 747 in splenic injury, 745, 746

in stress fracture, 350

in pediatric patient, 229 of patellofemoral joint, 38, 99, 100 oncussion, definitions of, 533-534

Concussion, definitions of, 533–534 grading of severity of, 534–535

in high school and college athletes, 577–578

recognition and management of, 534–535 return to competition after, 535–537

Conditioning programs, prevention of injury and, 362–363 Conjunctivitis, in athlete, 647 Connective tissue, adaptation of, to stress, 344–345

Corns, in athletes, 666–667

Coronary artery disease, atherosclerotic, and sudden death during exercise, 726 Craniofacial disjunction, 559

Cross training, for prevention of injury, 367

Cruciate ligament, anterior, anatomy of, 481

arthroscopic reconstruction of, 123-144

arthroscopic evaluation for, 130–131 bone-patellar tendon-bone

reconstruction for, 135–140 equipment for, 129 graft selection for, 124–127 hamstring augmentation in

hamstring augmentation in, 131–134, 135

indications for, 127–128 patient evaluation for, 128–129 patient positioning/examination

under anesthesia for, 129–130 rehabilitation following, 141 versus open reconstruction, 123–124 with treatment of medial collateral ligament injury, 128

clinical evaluation of, 482–483 in knee function, 481–482

tears of, 480-485

confirmation of diagnosis of, 483-484

diagnosis of, 480 mechanics of injury in, 482 timing of surgery in, 485

treatment of, 484–485 posterior, anatomy of, 147, 486

arthroscopic reconstruction of, 145-156 rehabilitation following, 153-154

results of, 154 biomechanics of, 147-148

injuries of, 485–488 arthroscopically assisted surgical technique in, 148–153

associated injuries in, 486 diagnosis of, 486–487 etiology of, 486 history taking in, 146

natural history of, 145, 147 nonoperative management of, 147 physical examination in, 146 radiologic examinations in, 488

surgical indications in, 148 treatment of, 488 treatment of, controversy concerning,

Cubital tunnel syndrome, 692-693 Cue-instructional self-talk, 764

145

De Quervain's tenosynovitis, 720–721 Dèbridement, arthroscopic, 59–62 in degenerative arthritis of knee,

> of knee, upper tibial osteotomy and, 65-66

Degenerative joint disease, arthroscopic treatment of, selection criteria for,

55–56, 57 arthroscopy in detection of, 54–55

diagnosis of, 53–55 functional assessment in, 53

in older athletes, arthroscopic treatment of, 51-68

physical examination in, 53 radiographic studies in, 54

Dehydration, 638
Deltoid, chronic insufficiency of, 441
isolated sprain of, treatment of, 440–441

Dental occlusion, normal, sports-related injuries and, 545–546 Deutschander's fracture, 340

Diabetes mellitus, in athlete, 639–641 Diarrhea, in athlete, 645–646

runner's, in athlete, 647 traveler's, in athlete, 646-647

Diet, of athlete, 368–369

Diuretics, 386 Doping, array in, 383 classes of, 376–388 continuous, 383 cycling in, 383

definition of, 375 documentation of, 375–376

pyramiding in, 383 stacking in, 383

Drugs, ergogenic, in sports, 375–392 use by college athletes, 580–581 Dyspepsia, in athlete, 645

Ear(s), disorders of, in athlete, 649–650 external, hematoma of, 560–561 Eating disorders, diagnosis of, 597–598

effects of, on bone, 213 in female athlete, 576, 594–598 stress fractures and, 310, 315, 351 treatment of, 598

Education, for prevention of injury, 367

Effort thrombosis, 741 Elbow, 681–704

anatomy of, 681-682 biomechanics of, 681-682 history of athlete and, 682

Little League, 616–618, 695, 698–699 magnetic resonance imaging in, 410–411 nerve compression syndromes of, 691–

of adult athlete, trauma to, 694

of pediatric athlete, injuries to, 695–701 physical examination of, 682 posterolateral rotatory instability of, 690 tendinopathies of, 682–685 throwing injuries and, 685–690 Electrocautery, for arthroscopy of knee, 14, 15
Electromyography, biofeedback, 762–763 Emergency care, of injured athlete, 369–370
Energy, during running, 246 during walking, 246
Environmental factors, athletes and, 637–639
Epicondylitis, lateral, 682–684 medial, 684–685

Epistaxis, 651
Equipment, for arthroscopic reconstruction of anterior cruciate ligament, 129 for arthroscopy of knee, 5
Ergogenic drugs, in sports, 375–392

Erythropoietin, 389-390

Ethnicity, stress fractures and, 204–205 Examination, sports, preparticipation. See Preparticipation sports examination.

Exercise(s), asthma induced by, in high school and college athletes, 574–575 cardiac complications during, causes of, 738–739

closed-chain, in rehabilitation, 372–373 during lactation, 604

flexibility, for prevention of injury, 363-364

in postpartum period, 604 in treatment of anterior knee pain, 38–39 pregnancy and, 602–604 sudden death during, 726

Exertional compartment syndrome, 267 acute, 430

etiology of, 471-472

examination and diagnostics in, 472 management of, 472–473 signs and symptoms of, 430–431

treatment of, 431

Extensor carpi ulnaris subluxation, 721 Extensor carpi ulnaris tenosynovitis, 721 Extremities, lower, stress fractures of, in pediatric patient, 229–230

upper, stress fractures of, in pediatric patients, 230-231, 232

Eyes, assessment of, in sports-related facial injuries, 544

disorders of, in athlete, 647-648

Face, abrasions of, 550 contusions of, 550 injuries of, skeletal, common patterns of, 552–561 soft-tissue injuries in, 547–552 sports-related, 543–562 general principles and initial care in, 546–547 physical examination in, 543–546 types of, 550–552

lacerations of, 550–552

Facial nerve, anatomy of, 548-549 "Female athlete triad," 594-602

Female athlete(s), 593-612

osteoporosis in, 198–199 preparticipation sports examination for, 575–576

stress fracture in, 197-224 unique risk factors in, 575-576

Femur, stress fractures of, 271-273, 307-317

diagnosis of, 310 femoral condyle, 316–317, 318 femoral neck, 311–314 femoral shaft, 314–315, 316

origin of, 309–310 treatment of, 311

Fetus, effects of exercise on, 603–604 Finger(s), angulation of, following fracture, 710–711

index, fractures of, 710

First aid, for athletic injuries, 370–371 Fitness, level of, and stress fractures, 206 running programs to improve, 366–367

Flexibility exercises, for prevention of injury, 363–364

Flexor carpi radialis tendinitis, 722 Flexor carpi ulnaris tendinitis, 722

Flexor digitorum profundus tendon, avulsion of, 712

Fluid management, for arthroscopy of knee, 2–3

Folds, of synovial membrane. See *Plica(ae)*. Foot (Feet), disorders of, in female athlete, 608–609

injuries of, and ankle injuries, primary care of, 435–466

shapes of, and injury in runners, 245 stability of, 249

structure of, 249, 250

Footwear. See Shoes.

Forceps, basket, for arthroscopy of knee, 9–10

Fracture(s), angulation of finger following, 710-711

anterior process of calcaneus, 447, 448 Jones, 269

Le Fort, 557, 559-560

maissoneuve, 443-444 march, 259, 330, 342

metacarpal, 710-711 metatarsal, 456-458

occult, about ankle, 446-452 of frontal sinus, 552-553, 554

Fracture(s) (Continued) of index finger, 710 of lateral process of talus, 447-449 of nose, 554, 555-556 of os trigonum, 449-450 of posterior process of talus, 449-450 of ribs, 740 of sternum, 740-741 of thumb, 710 of wrist, 715-717 of zygoma, 556-558 orbital blow-out, 553-555 osteoporotic, in female athlete, 576 phalangeal, 706-709 physeal, acute, in pediatric and adolescent athletes, 622-623 plain film radiography in, 393-394 stress. See Stress fracture(s). tuft, 706

559 Frieberg's infarction, 270 Frontal sinus, fractures of, 552–553, 554 Fungal infections, in athlete, 663–664 Furuncles, in athlete, 665–666

zygomaticomaxillary complex, 554, 558-

Gait cycle, 240–242 definition of, 239 running, 240–241 walking, 240 Gastroenteritis, 749

Gastrointestinal tract, disorders of, in athletes, 645-647

Genetic factors, as cause of osteochondritis dissecans, 159

Genitourinary trauma, in athlete, 749–751 Glenoid labrum, tears of, 681–682

Goal setting, and recovery from sports injury, 761

Grab sign, 624, 625

Gracilis autografts, for anterior cruciate ligament reconstruction, 125

Grafts. See also specific types of grafts. selection of, for arthroscopic reconstruction of anterior cruciate ligament, 124–127

Graspers, for arthroscopy of knee, 9 Groin, pain in, and injuries to, 751–752 Ground reaction forces, 244 Growth hormone, 386–388

Hamate, fractures of, 716–717
Hamstring(s), augmentation of, prior to anterior cruciate ligament reconstruction, 131–134, 135
Hand, and wrist, athletic injuries of, primary care of, 705–724

immobilization of, in safe position, 706, 707 tendons of, injuries of, 711–712 Head, athletic injuries to, 531–542

organizational decisions to prepare for, 531

sports with maximal risk for, 532

Heart, bruise of, 743-744

complications of, during exercise, causes of, 738–739

of athlete, 733-745 adaptations of, 726

dimensions of, 726

heart rate variability and electrocardiographic findings in, 728–729 physiologic and anatomic changes in,

726–730

ventricular adaptation and echocardiographic findings in, 727–728

Heat cramps, 638 Heat exhaustion, 638

Heat-related illness, in high school and college athletes, 574

prevention of, 368 Heat stroke, 638-639

Heel pain, plantar, 460–461

posterior, 458–460 Helmet, on cervical spine injury athlete,

369-370 Hemarthrosis, after open or arthroscopic

lateral retinacular release, 40, 41, 46 Hematoma, epidural or extradural, 539

intracerebral, 540 of external ear, 560-561

rectus sheath, 744 subarachnoid, 540-541

subdural, 539–540 subungual, 706

Hemodynamics, during pregnancy, 603 Hemorrhage, intracranial, 539–541

Hernia, inguinal or femoral, 752 Herpes simplex, in athletes, 654

Herpetic stomatitis, in athlete, 651

High-altitude pulmonary edema, 637 Hip, external rotation of, stress fractures and, 208

HIV infection, in athlete, 641-642

Hormonal factors, stress fractures and, 208 Hormonal replacement therapy, stress

fractures and, 216-217, 355 Hormone(s), human growth, 386-388

peptide, 388

Human growth hormone, 386–388 Hypothermia, 639

Imagery, application of, during injury rehabilitation, 764–765Imaging, of athletic injuries, 393–417 Immobilization, of hand, 706, 707 Impetigo, in athlete, 665 Infections, bacterial, in athletes, 665-666 fungal, in athlete, 663-664 skin, in athletes, 662-666 viral, in athlete, 654 Infectious mononucleosis, 652-653 Injury(ies), acute, compression in, 371 contemporary imaging of, 393-417 elevation in, 371 first aid for, 370-371 in pediatric and adolescent athletes, 622-623 prevention of, 631 pediatric and adolescent, 613-633 prevention of, and running programs to improve fitness, 366-36 athletic trainer and, 362-367 conditioning programs and, 362-363 cross training for, 367 education in, 367 flexibility exercises for, 363-364 plyometric training for, 366 pre-participation physical examination and, 362 strength training for, 364-366 protection in, methods of, 371 psychology of, 756 psychosocial and behavioral risk factors for, 756-758 psychosocial assessment of, 760, 761 recovery from, goal setting and, 761 relaxation in, 761–762 rehabilitation following, psychosocial factors in, 755-768 stress and, 757-758, 759 treatment and rehabilitation of, 372-373 Insoles, for athletic shoes, 255 Instruments, for arthroscopy of knee, 7–14 Intersection syndrome, 721–722 Intervertebral disc, injuries to, collision activities following, 524-525, 526, 527

Jock itch, 664
Jogger's nipple, 667
Joint(s), acromioclavicular, sprain of, 685-686
debridement of, 51
metacarpal phalangeal, dislocations/
sprains of, 713
patellofemoral. See Patellofemoral joint.
proximal interphalangeal, dislocations/
sprains of, 712-713
Jones fracture, 269, 456-458
Jumper's knee, 619, 620

Intracranial hemorrhage, 539-541

Intrathoracic injury, in athlete, 741-744

Kinematics, definition of, 242 of running, 242-243 of sprinting, 243 of walking, 242, 243 Kinetics, definition of, 243 of running, 244 of walking, 243-244 Klipple-Feil anomaly, contact sports and, 504-506 Knee, arthroscopic debridement of, upper tibial osteotomy and, 65-66 arthroscopic surgery of, 1-174 arthroscopy of, basics of, 1-16 environment for, 4-7 fluids and fluid management for, 2-3 instruments for, 7-14 leg holders for, 4 tourniquet in, 3-4 articular degeneration of, classification of, 31-32 common athletic injuries of, 479-499 examination in, 480, 481 degenerative, in older athletes, arthroscopic treatment of, 51-68 degenerative arthritis of, arthroscopic debridement in, 60-61 degenerative disease of. See Degenerative joint disease. disorders of, history taking in, 33 in pediatric and adolescent athletes, 623-627, 628, 629, 630 nonoperative management in, 38-39 operative management in, 39-40 physical examination in, 34-36 radiographic studies in, 36-38 "double" or "triple" varus, 487-488 effusion of, and soft-tissue swelling of, compared, 71 lateral release of, open or arthroscopic, when to do, 31-33 lateral retinaculum of, anatomy of, 29-30, 31 magnetic resonance imaging in, 403-407 malalignment of, arthroscopy and, 65-66 osteoarthritis of, arthroscopic debridement in, 60-61 arthroscopic lavage in, 57-58

Laboratory tests, for high school and college athletes, 583 Lactation, exercise during, 604 Lasers, for arthroscopy of knee, 12–14 Lateral alar fold, 94 Le Fort fractures, 557, 559–560

problems of, history taking in, 70-71

Knives, for arthroscopy of knee, 10-11

synovial plicae of, 87-122

Kidney, injury to, 749-750

Leg holders, for arthroscopy of knee, 4
Leg(s), injuries to, 467–478
tennis. See Tennis leg.
Ligament(s). See specific ligaments.
Lisfranc ligament injuries, 452–455
Little League elbow, 616–618, 695, 698–699
Liver, injuries to, 746–748
Low back pain, in female athlete, 605–606
Lower extremities, stress fractures of, in
pediatric patients, 229–230
Lung, bruise of, 742–743
Lunotriquetral ligament, injuries of,
718–719

Magnetic resonance imaging, clinical value of, 403 contraindications to, 403 factors affecting imaging weighting in, 402 for assessment of injury in athletes, 300-

302 for evaluation of soft-tissue injuries, 401–415

grading system, of stress fractures, 295-299, 304-307

in differential diagnosis of stress fractures, 300

in meniscal tears, 72-73 in muscle injury, 413-415

in osteochondritis dissecans, 162-163 in patellofemoral disorders, 38

in stress fractures, 282-289, 350 in pediatric patient, 229

in traumatic injury to bone, 412-413 of ankle, elbow, and wrist, 409-412

of knee, 403-407

of shoulder, 407-409, 410

of stress reactions of bone in high-performance athletes, 291–306

physics of, 401–402 Maissoneuve fracture, 443–444

Malalignment, of knee, arthroscopy and, 65–66

Malalignment problems, stress fractures and, 261

Mallet finger injuries, 711–712 March fracture, 259, 330, 342

Maturity, physical, assessment of, in high school and college athletes, 576–577

McArdle's syndrome, 432

Medial collateral ligament, injury to, 686–688

Medial plica syndrome, 87, 102–109 clinical signs of, 102–103 diagnosis of, arguments in favor of, 105 frequency of, 117–118 pathomechanics of, 113–116

patient history in, 102–103

physical examination in, 104-105 symptoms of, 103-104

Medial subluxation, following lateral retinacular release, 46–47

Medial tibial stress syndrome, 267, 281, 348, 349, 356

etiology of, 467-468, 469, 470

examination and diagnostics in, 468-469, 470, 471

management in, 469-471

Medical problems, common, in sports, 643–670

Medications, in stress fractures, 218–219 Menarche, delayed, and bone health, 208 Meniscectomy, degenerative arthritis following, 70

in meniscal tears, 70

partial arthroscopic, 58-59

Meniscus, capsular disruption of, open repair of, 82, 83

functions of, 70, 491-492

injury of, with anterior cruciate ligament injury, 123, 128–129

medial, arthroscopic repair of, in athlete, 69-86

mechanisms of injury to, 69 problems of, physical examination in,

roentgenographic examination in, 72 tears of, arthroscopic visualization of,

79, 80, 81 chronic, symptoms of, 71 clinical evaluation in, 70–71

conservative treatment of, 73-74 degenerative, 71

evaluation of, 77–79 incisions for, 81

preparation of site for, 79 repair of, 76-84

successful, features of, 79 suturing for, 81–82 symptoms of, 69–70, 71

treatment of, history of, 70 posterior, tears of, all inside repair of, 82–83

repairs of, isolated, rehabilitation following, 83–84

results of, 84

tears of, left alone, 75–76 treatment of, 75

torn, diagnosis of, 492 treatment of, 492–493

Menstrual irregularities, in athlete, 575–576, 598–600

Metacarpals, fractures of, 710-711

stress fractures and, 310, 346

Mental rehearsal, 764 Metabolic diseases, in athletes, 639–642

Metacarpal phalangeal joint, dislocations/ sprains of, 713 Metatarsalgia, 270
Metatarsals, fractures of, 456–458
stress fractures of, 268–270, 319–338
diagnosis of, 324, 348
fifth metatarsal, 335–339
first metatarsal, 329
history taking in, 324–325
middle metatarsal, 330–335
pathophysiology of, 321–324, 325
physical examination in, 325–328
radiographs in, 329
treatment of, 353, 354
Metatarsophalangeal instability, 270
Metatarsophalangeal joint, first, sprains

Metatarsophalangeal joint, first, sprains of, 463–464

Midface, injuries of, sports-related, 545 Midfoot, injuries of, 452–458 "Miserable malalignment syndrome," 261 Molluscum contagiosum, in athletes, 662–663

Moments of inertia, area, stress fractures and, 207–208

Mononucleosis, infectious, 652–653 Morton's extension, 333 Morton's neuroma, 269–270 Mountain sickness, acute, 637 Mouth, assessment of, in sports-related

facial injuries, 545 Muscle cramps, causes of, 431, 432 diagnosis of, 431–432

treatment of, 432 Muscle flexibility testing, in patellar

malalignment, 36 Muscle strains, 267–268

Muscle(s), injury(ies) to, anatomy and physiology of, 419–434 magnetic resonance imaging in, 413–415

scar formation following, 421 skeletal, composition of, 420

injury to, in sports, 421 soreness of, delayed-onset, damage and subsequent repair in, 428–429

definition of, 428 protection against, 429 striated, structure of, 420–421 tension-release procedure for, 763 Musculoskeletal concerns, in female athlete, 604–609

Musculoskeletal history, assessment of, in high school and college athletes, 578–579

Myocardial contusion, 743-744

Myoglobinuria, 432 Myositis ossificans, traumatic, 426–428 clinical findings in, 427 differential diagnosis of, 426–427 management of, 427–428

Myotendinous junction, 420

Nail plate, hematoma under, 706

Narcotic analgesics, 380–381
Nasal fractures, 554, 555–556
Navicular stress fractures, 455–456
Needle(s), spinal, for anterior cruciate ligament reconstruction, 129 for arthroscopy of knee, 9, 82
Nerve compression, peripheral, 268
Nerve compression syndromes, of elbow, 691–694
Neuroma, Morton's, 269–270
Nose, disorders of, in athlete, 651
Nosebleeds, 651
Nutrition, for athlete, for prevention of

stress fractures, 351 Nutritional factors, and bone health, 211–214

Nutritional therapy, in stress fractures, 217–218

Odontoid, anomalies of, collision sports and, 503, 504 Onychomycosis, 665

Oral contraceptive pills, and bone health, 210

Orbit, blow-out fractures of, 553–555
Organs, solitary, injury about, in high school and college athletes, 580
Orthotic devices, for athletic shoes, 255
Os trigonum, fracture of, 449–450
Osgood-Schlatter disease, 618–619
Osteoarthritis, of knee, arthroscopic

Osteoarthritis, of knee, arthroscopic debridement in, 60–61 arthroscopic lavage in, 57–58

Osteochondral allograft, in osteochondritis dissecans, 169–170 Osteochondral lesions, of talus, 450–452

Osteochondritis dissecans, cause of, abnormal ossification as, 159 genetic factors as, 159

ischemia as, 158–159 trauma as, 158 classification and staging systems for

classification and staging systems for, 163 diagnosis of, imaging in, 162–163

patient history in, 161 physical examination in, 161 epidemiology of, 160

history of, 157 location of, 160, 161 of capitellum, 696–697, 700 of distal femur and patella, 157–174 of patella, 170–172

of talus, 450–452

osteochondral allograft in, 169-170 pathology of, 160

postoperative management in, 169 prognostic factors in, 163–164 treatment of, nonoperative, 164–165 Osteochondritis dissecans (Continued) surgical, 165–168

Osteopenia, relative, conditions causing, 261–262

Osteoporosis, in female athlete, 198–199, 576, 600–601

Osteotomy, upper tibial, and arthroscopic debridement of knee, 65–66

Otitis externa, in athlete, 649
Otitis media, in athlete, 649–650

Ovarian cysts, 749

Overtraining syndrome, 757

Overuse disorders, pediatric and adolescent, 614-619

Ovulatory disturbances, and bone health, 209-210

Pain, peripatellar soft-tissue, history taking in, 33

right lower quadrant, in athlete, 748-749 Patella, articular lesions of, treatment of,

instability of, history taking in, 33

lateral instability of, 496–497 lesions of, arthroscopic debridement of, 25–26

osteochondritis dissecans of, 170-172 subluxation of, 489-490

tracking of, in physical examination, 35 Patellar tilt test, 35-36

Patellofemoral joint, alignment of,

arthroscopic evaluation of, 20-22

arthroscopy of, 17-28 technique of, 17-20

computed tomography of, 38, 99, 100 degeneration of, pain in, 34 physical examination in, 34

disorders of, diagnosis of, 494-495, 496 etiology of, 493-494

history taking in, 33 incidence of, 493

physical examination in, 34-36 treatment of, 495-496

malalignment of, causes of, 34–35 evaluation for, 34–35

Patellofemoral syndrome, in female athlete, 607

Patient positioning, for arthroscopic reconstruction of anterior cruciate ligament, 129–130

Pediatric athlete(s), sports injuries in, 613–633

stress fractures in, 225-238

Peptide hormones, 388 Periosteal resorption, stress fractures and, 345

Periostitis, differential diagnosis of, bone scans in, 474–475 Peroneal tendon, subluxation or dislocation of, 445–446

Phalanges, fractures of, 706–709 Pharyngitis, 653–654

Physeal fractures, acute, in pediatric and adolescent athletes, 622–623

Physical examination, in diagnosis of osteochondritis dissecans, 161

in injuries of posterior cruciate ligament, 146 in problems of medial meniscus, 71–72

in sports-related facial injuries, 543–546 pre-participation. See Preparticipation sports examination.

Plain film arthrography, for diagnosis of athletic injuries, 395–396, 399–400

Plain film radiography, for diagnosis of athletic injuries, 393–394 Plantar fasciitis, 460–461

Pleats, of synovial membrane. See Plica(ae). Plica alvaris elongata, 92, 93

Plica(ae), 26

anatomic description of, 90-94 descriptions of, history of, 88-89 embryology of, 89-90

frequency of, in anatomic and arthroscopic studies, 94–97

inferior, 91-92, 96 clinical relevance of, 101

lateral, 94, 96

clinical relevance of, 101 medial, 92-94, 96-97

at arthroscopy, 105-109, 110 classification of, 93-94

resected, histologic findings in, 109-

treatment of, conservative, 111 surgical, 111–112 results of, 112–113

of knee, 87-122 radiology of, 97-100

resection of, criteria for, 116–117

superior, 90–91, 95 clinical relevance of, 100–101

Plyometric training, for prevention of injury, 366

Pneumothorax, 741–742

Popliteal artery compression syndrome, 268

Postconcussion syndrome, 539

Posterior interosseous nerve syndrome, 692

Postpartum period, exercise in, 604 Power, conservation of, in running, 245–246

Pregnancy, caloric requirements during, 603

exercise and, 602-604

Preparticipation sports examination, 636, 731–733

classification of sports for, 586 disqualification following, 583–585 for female athlete, 575–576 for high school and college athletes, 569–591

frequency and timing of, 571–572 limitations of, 571 methodology of, 572–573 objectives of, 569–571 participation history in, 573–581 physical examination in, 362, 581–583, 732–733

Pridie procedure, 62, 64–65
Primary care, of injured athlete, 361–562
Probe, for arthroscopy of knee, 8–9
Progressive muscle relaxation method, 762
Pronator syndrome, 693
Protein, for athlete, 369
Proximal interphalangeal joint, dislocations/sprains of, 712–713
Psychosocial factors, in rehabilitation following sports injuries, 755–768
Pterygium, in athlete, 648
Pubic rami, stress fractures of, 273
Pulmonary contusion, 742–743
Pulmonary diseases, in athletes, 642–645

Quadriceps tendon autografts, for anterior cruciate ligament reconstruction, 125

Pulmonary edema, high-altitude, 637

Radial tunnel syndrome, 691–692 Radiographic studies, in disorders of knee, 36–38

in lateral ankle sprains, 436–437 in stress fractures, 277–279, 294, 329 in pediatric patient, 228

Radiography, plain film, for diagnosis of athletic injuries, 393–394 routine, in sprains of syndesmotic ligaments, 442–443

Radiology, of synovial plicae, 97–100 Radionuclide bone scan, for diagnosis of athletic injuries, 396–399 Radionuclide examination, in stress

fractures, 279–282, 283, 284, 294 Radius, distal, fractures of, 717 Rehabilitation, closed-chain exercises in,

372–373 following arthroscopic reconstruction of

anterior cruciate ligament, 141 following arthroscopic reconstruction of posterior cruciate ligament, 153–154 following athletic injury, 372–373 following isolated meniscal repairs,

83-84

following soft-tissue contusions, 426 following sports injuries, psychosocial factors in, 755–768 in patellofemoral disorders, 39

Relaxation, in recovery from sports injury, 761–762

Retinacular release, lateral, arthroscopic, advantages and disadvantages of, 44

postoperative management and rehabilitation following, 45–46 technique of, 44–45

open, advantages and disadvantages of, 40

or arthroscopic, hemarthrosis after, 40, 41, 46 technique of, 40–44

operative management of patellar problems, 39-40

complications of, 46–47 Rhabdomyolysis, 432 Rhinitis, allergic, 650–651 viral, 650

Rib fractures, 740 Ringworm, 664

Roentgenographic examination, in problems of medial meniscus, 72 Rotator cuff, tendinopathy of, 682–685 Rotatory instability, of elbow, 690 Runners, injury in, shapes of feet and, 245 rear-foot strikers and midfoot strikers, 245

Runner's diarrhea, in athlete, 647 Running, conservation of power in, 245–246

energy during, 246 kinetics of, 244

Running biomechanics, 239–247 Running gait cycle, 240–241 Running programs, to improve fitness,

and prevent injury, 366–367 Running surface, stress fractures and, 206–207

Sarcolemma, 420 Sarcoplasm, 420

Scaphoid, fractures of, 715–716 Scapholunate ligament, injuries of, 718

Scheuermann's disease, in pediatric and adolescent athletes, 631

Scintigraphy, grading system for stress fractures using, 294–295 in stress fracture in pediatric patient,

three-phase, in stress fractures, 279–282, 283, 284

Scoliosis, in pediatric and adolescent athletes, 630-631 Scrotal trauma, 750-751

Second impact syndrome, etiology of, 537-538

pathophysiology of, 538 prevention of, 538-539

Semitendinosus autografts, for anterior cruciate ligament reconstruction, 125 Semitendinosus/gracilis grafts, for anterior cruciate ligament augmentation, 124,

126

Sever's disease, 461, 618 Shavers, for arthroscopy of knee, 12, 13

Shin splints, 267, 281, 348, 356, 467-471 stress fractures versus, bone scan appearance in, 349

Shoes, aerobic, cushioning of, 254 and stress fractures, 206, 249-257 athletic, airsoles in, 255

combination or prefabricated soles for, 254

energy, return in, 255

inserts in, for treatment of stress fractures, 256

insoles for, 255

midsole materials for, 254 orthotic devices for, 255-256

cushioning in, 251, 252

running, 252-253 cost of, 251

stability of, 253

Shoulder, anterior, acute dislocation of, 669-670

recurrent dislocation of, 670-671 recurrent subluxation of, 671-672

biomechanics of, 664-666 clinical evaluation of, 666-668

injuries of, classification of, 664 in athlete, 671-687

magnetic resonance imaging in, 407-409,

multidirectional instability of, 680-681 of athlete, rehabilitation of, 668-669 problems of, in female athlete, 605

Sickle cell trait, in high school and college athletes, 575

Sinding-Larson-Johansson disease, 619, 620 Sinus tarsi syndrome, 445

Skeletal muscle, composition of, 420

injury to, in sports, 421 Skier's thumb, 713-714

Skin, trauma to, in athlete, 666 Skin infections, in athletes, 662-666

Sleep disturbance, in athlete, 641 Soft-tissues, contusions of, 425-428

injuries to, in facial injuries, 547-552 Spear tackler's spine, contact sports and, 510-511, 513

Spinal needle(s), for anterior cruciate ligament reconstruction, 129 for arthroscopy of knee, 9, 82

Spine, cervical. See Cervical spine.

disorders of, in pediatric and adolescent athletes, 630-632

injury to, in high school and college athletes, 579

Spleen, injury to, 745-746

Spondylolysis, in female athlete, 605-606 in pediatric and adolescent athletes, 631,

Sports, preparticipation examination for. See Preparticipation sports examination. stress in, 758-760

Sports drinks, 368

Sports injuries. See Injury(ies). Squeaker's wrist, 721-72

Sternum, fracture of, 740-741

Steroids, anabolic-androgenic, 381-383 commonly used, 383

side effects of, 384-385 use by college athletes, 580-581

Stimulants, 376-380

Stomatitis, herpetic, in athlete, 651

Strain injury, acute, 422-424 Strength training, for prevention of injury,

364-366 Strep throat, 653-654

Stress, and sports injury, 757–758, 759 in sports, 758–760

reactions to, in bone, in high-performance athletes, 291-306

Stress fracture(s), 179-357 age and, 205

area moments of inertia and, 207-208 at-risk, 307

causes of, 343-347

characteristics of, in athletes, 189-191, 192

in military recruits, 191-192 clinical history in, 262-264

and physical examination in, 259-274 clinical management of, 302-304

confirmatory studies in, 349-351

definition of, 197-198, 321 development of, 260, 277

diagnosis of, 214-215, 262, 347-349 differential diagnosis of, bone scans in,

474-475 magnetic resonance imaging in, 300

epidemiology of, 342-343

and site specificity of, 179-196 study design for assessment of, 179-

study interpretation for assessment of, 181-182

ethnicity and, 204-205

etiology of, 473-474

management of, and treatment of, 198 examination and diagnostics in, 474-475 external rotation of hip and, 208 extrinsic mechanical factors and, 205-207 factors predisposing to, 260-261 features common to, 262, 263 femoral. See Femur, stress fractures of. fitness level and, 206 footwear and, 206, 249-257 future research in, 356-357 gender as factor in, 204 general concepts concerning, 339-356 histological grading of, 294 history of, 259, 342 hormonal factors and, 208 imaging of, 275-290 in female athlete, 197-224, 609 in pediatric and adolescent athletes, 615, 619-621 in pediatric athlete, 225-238 anatomic location of, 229-233 diagnostic imaging in, 228-229

in pediatric athlete, 225–238
anatomic location of, 229–233
diagnostic imaging in, 228–229
evaluation of, 227–228
incidence of, 225–227
origin of, 226–227
prevention of, 234–236
treatment of, 234
incidence of, 341, 473

increasing, 259 injury rates, in athletes, 182–184 in military, 184

intrinsic mechanical factors and, 207-208 locations of, 260

magnetic resonance imaging grading system of, 295–299, 304–307

management of, 475 metatarsal. See Metatarsals, stress fractures of.

morbidity due to, 192-194 navicular, 455-456 nutritional therapy in, 217-218

of tibia, 265-268

treatment of, 352–353 physical examination in, 264–265, 348 prevention of, 215–216, 356 radiographic assessment of, 277–279, 294, 329

radionuclide examination in, 279–282, 283, 284, 294

rates of, in different age groups, compared, 185–186

in female and male athletes and military trainees, 202

in men and women, compared, 186-188 in whites and blacks, compared, 186

in whites and blacks, compared, 186, 187

recurrence rates, 185 relative frequency of, and total injuries, 189

risk factors for, 201–219, 201–224 running surface/terrain and, 206–207 scintigraphic grading system for, 294– 295

return to sports following, 356

shin splints versus, bone scan appearance in, 349 shoes and, 206, 249–257 site of, by sporting activity, 343 stress response and, 277 studies of. See Study(ies), of stress fractures.

symptoms of, 347–348 tarsal navicular, 270–271, 348–349 treatment of, 353, 355

three-phase scintigraphy in, 279–282, 283, 284

training regimen and, 205–206, 216 treatment of, 216–219, 351–356 types of, 276 width of tibia and, 207

Stress phenomenon, of bone, 299
Stress reaction. See Stress fracture(s).
Stress tests, in meniscal problems, 72
Study(ies), of stress fractures, case series,
180–181

interpretation of, 181–182 prospective cohort design, 180 retrospective cohort design, 180

Subtalar instability/sprains, 444-445 Sudden death, during exercise, 726 Superolateral fold, 94 Superomedial plica, 92

Superomedial plica, 92 Surgery, in stress fractures, 352 "Swimmer's ear," 649–650 Sympathomimetics, 380 Syndesmotic ligaments, 441–442

sprains of, diagnosis of, 441, 442 incidence of, 441 routine radiography in, 442–443 treatment of, 443

Synovial plicae. See *Plica(ae)*. Synovium, anteromedial fringe of, 93

Talus, lateral process of, fracture of, 447–449

osteochondral lesions of, 450–452 posterior process of, fracture of, 449–450 transchondral fracture of, 450–452

Tarsal navicular, stress fractures of, 270–271, 348–349

treatment of, 353, 355 Tendinitis, 719, 721–722

Tendon(s), flexor digitorum profundus, avulsion of, 712 of hand, injuries of, 711–712 peroneal, subluxation or dislocation of,

445–446
Tennis elbow, 682–684
Tennis leg, etiology of, 475–476
examination and diagnostics in, 476
management of, 476–477
Tenosynovitis, 719–721

Tension-release procedure, for muscles, 763

Terrain, stress fractures and, 206–207 Testosterone, and bone health, in men, 210–211

and derivatives of, 381

treatment with, in stress fractures in men, 217

Thermoregulation, during pregnancy, 602-603

Thoracic injuries, in athlete, 739–741 Thoracoabdominal injuries, in athlete, 739–753

Throat, disorders of, in athlete, 650, 653-654

Thrombosis, effort, 741

Throwing injuries, elbow and, 685-690 Thumb fractures of 710

Thumb, fractures of, 710 skier's, 713-714

Thyroid disease, in athlete, 641 Tibia, stress fracture of, 265-268

treatment of, 352–353 upper, osteotomy of, and arthroscopic debridement of knee, 65–66 width of, stress fractures and, 207–208

Tinea corporis, 664 Tinea cruris, 664 Tinea pedis, 664

Tinea versicolor, 664-665

Tissue(s), junctional, injuries of, in pediatric and adolescent athletes, 616, 621–622, 623, 624

Torticollis, 513-514

Tourniquet, in arthroscopy of knee, 3–4 Trainer(s), athletic, NATA certified, training of, 361–362

perspective of, on primary care of injured athlete, 361–374 practice areas of, 362

prevention of injuries and, 362–367 Training regimen, acute change in, stress fractures and, 205–206, 216 errors in, stress fractures and, 346

Transverse synovial arcuate folds, 93, 94 Traveler's diarrhea, in athlete, 647 Triangular fibrocartilage complex, injuries to, 719 Triquetrum, fractures of, 717 Tuft fractures, 706

Ulna, fractures of, 717–718 Ultrasonography, for diagnosis of athletic injuries, 400–401 Upper extremities, stress fractures of, in pediatric patients, 230–231, 232

Urethral injuries, 750

Turf toe, 463-464

Vaccinations, for athletes, 637
Video monitor, for arthroscopy of knee, 5-6
Viral infections, in athlete, 654
Viral rhinitis, 650
Visual motor behavioral rehearsal, 765
Vitamin D, effects of, on bone, 212–213

Walking, energy during, 246 kinetics of, 243–244 Walking gait cycle, 240 Warts, in athletes, 663 Wound care, 372 Wrist, and hand, athletic injuries of, primary care of, 705–724 fractures of, 715–717 instabilities of, 718–719 ligamentous injuries of, 718–719 magnetic resonance imaging in, 411–412 squeaker's, 721–722

Zygoma fractures, 556–558 Zygomaticomaxillary complex fractures, 554, 558–559

